


Peter J. Dehlinger
650.838-4401
dehlp@perkinscoie.com



March 3, 2003
Via Federal Express

Perkins
Coie

101 Jefferson Drive
Menlo Park, CA 94025-1114
PHONE 650.838.4300
FAX 650.838.4350
www.perkinscoie.com

Aclara BioSciences
Attn: Patent Department
1288 Pear Avenue
Mountain View, CA 94043

RE: U.S. Patent Application No. 09/972,709
for **UNBIASED SAMPLE INJECTION FOR MICROFLUIDIC APPLICATIONS**
Your Reference: ACBI.073.00US
Our Reference: 50225-8073.US00;
U.S. Patent Application No. 09/660,727
for **SURFACE TENSION LOADING INERTIAL RELEASE DROPLET DEVICE
AND METHOD**
Your Ref. ACBI.047.01
Our Ref. 50225-8047.US00;
U.S. Patent Application No. 09/521,254
for **IMPROVED MICROFLUIDIC OPERATION**
Your Ref. ACBI.036.00
Our Ref. 50225-8036.US00; and
U.S. Patent Application No. 08/945,309
for **CAPILLARY ELECTROPHORESIS APPARATUS AND METHOD**
Your Ref. ACBI.053.01
Our Ref. 50225-8053.US00.


Dear Sir or Madam:

Pursuant to the emails dated February 10, 2003 from S. Macevicz, we have closed our records for the above-referenced cases, filed a request for withdrawal as attorney in each, and enclose herewith the files for all, including any provisional patent application file related to same.

By signing and returning the enclosed copy of this letter, you agree to assume responsibility for the above-referenced patent applications. For your convenience, we have provided a self-addressed stamped envelope for return of the signed letter.

If you have any questions, please give me a call.

Very truly yours,


Peter J. Dehlinger

PJD/lba
Encs.

Acknowledgement of Receipt:

By: _____ Date: _____

ANCHORAGE · BEIJING · BELLEVUE · BOISE · CHICAGO · DENVER · HONG KONG · LOS ANGELES
MENLO PARK · OLYMPIA · PORTLAND · SAN FRANCISCO · SEATTLE · SPOKANE · WASHINGTON, D.C.

Perkins Coie LLP (Perkins Coie LLC in Illinois)

Anderson, Lynnea - MP

From: Macevicz, Stephen [smacevicz@ACLARA.com]
Sent: Monday, February 10, 2003 1:33 PM
To: Dehlinger, Peter - MP
Cc: Griffith, Virginia
Subject: 50225-8073.US00



MAR 11 2003

RECEIVED

TECH CENTER 1600/2900

RE: USSN 09/972,709
"Unbiased sample injection ..."
ACLARA ref. 073.00
P&C ref. 50225-8073.US00

Dear Peter,

ALCARA has decided not to pursue the above-referenced application any further. Could you please remove it from your docket and ship the file back to us at ACLARA.

Please do not hesitate to email or call me if you have any questions.

Best regards,

Steve Macevicz
Vice President Intellectual Property
ACLARA Biosciences, Inc.
(650) 210-1223

* CONFIDENTIAL & PRIVILEGED * This message is intended only for the use of the person or entity to which it is addressed. If you are not the intended recipient, please do not read the message, notify the sender at (650) 210-1223, and destroy all copies of this message and any attachments. Any unauthorized review, use, disclosure, or distribution is prohibited. Thank you.